

SHAKE WELL BEFORE USE

Rustins Advanced Wood Preserver is a water based, low odour, non-flammable product based on optimised formulation technology. The ultra-fine particle size allows deep penetration of the treatment to take place so the performance of the product is much greater than standard wood preserver products. It is non-flammable, quick drying and can be applied to wet or dry timbers. For preventative treatment against wood boring beetles, termites and wood rotting fungi. Also for curative treatment against wood boring beetles. For use on hard & soft wood.

Preparation:

Ensure that timber surfaces are clean and free from previous coatings, grease and contaminants. Surfaces may be damp but the product should not be applied to decayed wood which will need to be removed and replaced.

Application:

Shake well and stir before use. Apply two coats using a brush or low pressure spray. Exterior application must be by brush ONLY. Depending on the drying conditions, the second application should be applied before the first is dry. Ensure all end grain is thoroughly soaked as this is especially prone to water ingress and resulting decay.

Re-coating Time:

Temperature and humidity will affect the rate of drying. It is important that after the first application the surface is not allowed to dry out and ideally should be damp when the second application is carried out. The timber should be allowed to dry for 48 hours before over-coating.

Coverage:

Apply at a rate of 100 ml/ m². (1L per 10 m²):

For a preventative use against wood boring beetles.

Apply at a rate of 152.8 - 200 ml/ m². (1L per 5 m²):

For a preventative use against wood rotting fungi. Apply at a rate of 200 ml/ m². (1L per 5 m²):

For a preventative use against wood boring beetles, termites and wood rotting fungi.

Apply at a rate of 300 ml/ m². (1L per 3.3 m²):

For curative use against wood boring beetles.

Cleaning:

Remove as much product as possible and return to this container. Brushes should then be cleaned immediately with water.

Storage:

Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquid. Must only be kept in original packaging. Shelf life 2 years. Protect from frost.

Spillage & Disposal:

Collect spillage if safe to do so. Contain and collect spillage with a suitable absorbent and put into a securely sealed, leak proof container. Label container for disposal as hazardous waste. Avoid an accidental discharge into sewers, surface water or soil. Soil contaminated by the undiluted product should be treated as hazardous waste. In case of an accidental discharge of a large amount of the product to surface water, groundwater or sewer inform the appropriate authorities according to local regulations. Empty containers, unused product and other waste generated during treatment are considered hazardous waste. Dispose of in accordance with local regulations. Do not release to soil, ground, surface water or sewers.

Precautions:

Not to be used in and near food preparation area. Avoid contact with non-absorbing surfaces like plastics, metal, bitumen and roofing felts. If in doubt, contact our technical department. The colour illustrated on the tin is a guide only. Please try on inconspicuous area before proceeding with the whole job.

First Aid:

If medical advice is needed, have product container or label at hand. IF IN EYES: remove contact lenses, rinse with plenty of water for at least 15 minutes. IF ON SKIN: wash with soap and plenty of water, without rubbing. IF SWALLOWED: do NOT induce vomiting. If necessary attend hospital and show the label or packaging if possible. Do not leave poisoned person unattended. UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice.

Pyrethroids and Pyrethrins may cause paraesthesia (burning and prickling of the skin without irritation). If symptoms persist get medical advice. This product contains Permethrin; Pyrethroids can cause facial paraesthesia.

Poisoning may cause: Irritation or/and allergic skin reaction, irritation of eyes, mucosa, respiratory tract and gastrointestinal tract.

HEALTH & SAFETY

Causes serious eye irritation

Very toxic to aquatic life with long lasting effects.

Contains : IPBC, Propiconazole, Permethrin, 1,2- Benzisothiazol-2(3H)-one. May produce an allergic reaction.

Safety data sheet available on request. (professional use only)

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wash hands thoroughly after handling.

Wear protective gloves, protective clothing and protective eye/face protection. (professional use only)

IF IN EYES: Rinse continuously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists : Get medical advice/attention.

Collect Spillage.

Avoid release into the environment.

Dispose of contents or container to a licensed hazardous-waste disposal contractor or collection site, except for empty clean containers which can be disposed of as non-hazardous waste.

Contains : 3-Iodo-2-Propynyl-N-Butyl Carbamate (IPBC) [55406-53-6], Propiconazole [60207-90-1], Permethrin [52645-53-1], 1,2-Benzisothiazol-2(3H)-one [2634-33-5], Alcohols (C9-11), Ethoxylated [68439-46-3]

UFI: N9M2-6098-100K-UJ0J

Please refer to Product Data Sheet for full information at www.rustins.co.uk

Actives:

2.5g/L Propiconazole, 2.5g/L IPBC, 2.5g/L Permethrin



Rustins

Use Specific Instructions & Risk

Mitigation Measures :

FOR USE ONLY AS A WOOD PRESERVATIVE. FOR PROFESSIONAL AND NON-PROFESSIONAL USE

Do not touch or walk through spilt material. When dealing with spillage to not eat, drink or smoke. Avoid breathing vapour or mist. Provide adequate ventilation.

Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry.

Any product on skin should be washed off.

Avoid contact with eyes

Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer.

Always read the label or leaflet before use and follow all the instructions provided.

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.

Treated wood should not be intended for uses involving contact with food, feed or livestock.

Do not contaminate foodstuffs, eating utensils or food contact surfaces.

Avoid prolonged contact of pets, particularly cats, to treated surfaces.

All bats are protected under the wildlife and countryside act of 1981. before treating any structure used by bats consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales.

Inform the registration holder if the treatment is ineffective.

Rustins

Advanced Wood Preserver

Interior & Exterior Use




Joists and beams



Sheds and fences



Garden furniture



Floorboards

Low Odour

Quick Drying

Deep penetration and long lasting protection

Can be applied to damp timber



Clear



5 015332 4000852 >

1 Litre^e

Rustins

To reduce risk to the environment : When UC 2 application takes place outdoors under a roof, soil/ground in the vicinity of timber to be treated must be protected with a tarpaulin or plastic sheeting) until treated surfaces are "dry" (i.e. they no longer drip). Any waste should be disposed of safely in line with national waste management measures (product should be left to dry and any solids added to domestic waste for disposal at landfill).

During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product must be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

Treatment of timber must not take place over/near surface water bodies.

For UC 3 (outdoors, out of ground contact) application takes place by brush only, at a maximum active substance application rate of 2.25 g/m² propiconazole, 0.75 g/m² IPBC and 0.75 g/m² permethrin and only where a treatment system that includes an undercoat and a non biocidal topcoat is employed

Additional information for professional users :

The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) apply to the use of this product at work.

Wear a protective coverall (at least type 6, EN 13034), suitable protective gloves (rubber or nitrile) and eye/face protection when handling or applying the product.

HSE 10612

BBP

UK-2019-1194-4-0010 & UK-2019-1194-5-0010
IE/BPA 70493-4-009 & IE/BPA 70493-5-009

Additional information for use in Republic of Ireland :

Use Biocides Safely and Sustainably. It is illegal to use this product for uses or in a manner other than that prescribed on the label. Poison Information : For information or to report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166), retain label for reference.

1 Litre^e

Long lasting protection against dry rot, wet rot, fungi, wood boring insects and their larvae

1 Litre^e